




versatile. durable. dynamic.

The maximum of freedom.

The optimal system for your exhibition booth: The extrusion depth of 80 mm offers stability for heights up to 6 metres – free-standing, or as a complete room solution including door element. Can be completely covered with fabric and panelling. Additional attention is drawn to your advertising message by integrated **octalumina** light frames. As versatile and combinable as no other system. In short: With **maxima 80**, you are already ready for the future.







➤ Technical Features

maxima 80

6 M


up to 6 m height



patented
tension lock



80 mm extrusion
depth



fabric covering



panel covering
16 mm



universal door

Perfect for exhibitions? Yes. But not only!

Versatile. Stable. Adaptable. Everything you need at an exhibition. Reusable and light due to the aluminium material. Perfectly combinable with other **octanorm** systems. A system with added value that is suitable for exhibitions of any kind. With **maxima 80** you stay flexible.


From floor to ceiling.

Visible or not, **maxima 80** extrusions always achieve top performance. Besides cladding with panels or fabrics, the main advantage of the system is its compatibility with other systems such as **octalumina 80** light frames or **octarig** ceiling constructions.



The basis for creative booth designs.


With an extrusion depth of 80 mm, **maxima 80** is perfectly compatible with **octalumina 80** light frames or the **octawall pro** frame system. For impressive ceiling constructions, **octarig** delivers – either suspended or supported at heights of up to 6 meters. Let your creativity run free – **maxima 80** provides the foundation: flexible, stable, and perfectly tailored to your needs.



Ceiling construction
octarig: suspended or
on uprights



Exciting 3D effects:
octalumina plus with
2 layers of fabric



➤ In Use

maxima 80

